

Timberline® 30 Shadow Accent™

Information Sheet



*Quality You Can Trust Since 1886...
From North America's Largest Roofing Manufacturer™*

Roofing Solutions: *Why Use a System - Quality Shingles*

Shadow Accent™ TIMBERLINE® Premium Architectural Shingles 30

"Value & Performance In A Wood Shake Look"

The unique "Shadow Accent" effect results in maximum dimensionality depth



Click image above to view Timberline 30 shingles on a house.

for HOMEOWNERS

- **Attractive Appearance...** Features the distinctive Shadow Accent™ effect.
- **Great Value...** Architecturally stylish but practically priced.
- **Stays In Place...** Dura Grip® adhesive seals each shingle tightly and reduces the risk of shingle blow-off.
- **Peace Of Mind...** 30-year Ltd. transferable warranty with Smart Choice® Protection for the first five years (non-prorated material and installation labor coverage).*
- **Perfect Finishing Touch...** Distinctive TIMBERTEX® Ridge Cap shingles lend the perfect finishing touch (in the West, use PacificRIDGE™ or Universal Ridge Cap Shingles; in the Southeast, use Universal Ridge Cap Shingles).

*See Ltd. warranty for complete coverage and restrictions

for PROFESSIONALS

- **More Referrals...** People will know that you're installing America's #1-selling laminated shingles!

Specifications for Timberline 30

- Standard Weight Design
- 30 Year Ltd. Transferable Warranty
- Smart Choice® Protection for the first 5 years
- 70 mph Ltd. Wind Warranty
- Fiberglass Asphalt Shingle
- Listed Class A Fire-UL 790
- Algae-Eater™ Protection available in certain areas (check sample board for details)
- Passes UL 997 Wind Test
- Passes 110 mph Wind Test
- CSA A123.5-98
- ASTM D3018 Type 1
- ASTM D3161 Type 1
- ASTM D3462*
- ASTM D7158, Class H
- Florida Building Code Approved
- Meets Wisconsin Administrative Code
- Texas Department of Insurance
- Approx. 64 Pieces/Sq. (Metric)
- Approx. 78 Pieces/Sq. (English)
- 3 Bundles/Square
- Approx. 264 Nails/Sq. (Metric)
- Approx. 312 Nails/Sq. (English)
- 5 5/8" Exposure (Metric)
- 5" Exposure (English)



13-1/4" x 39-3/8" Metric
12" x 36-15/16" English



Timberline® 30 shingles
are available nationwide

*Product is manufactured to meet or exceed ASTM D3462;
values from subsequent testing may vary depending on storage conditions.

For Distinctive Ridge Cap Shingles, use matching TIMBERTEX® or
PacificRIDGE™ Ridge Cap Shingles



*Applies to
Timberline 30
White Shingles Only.*