


# Three (3) Ply SBS Cold Adhesive Applied System Insulated Deck

Diagram



*Quality You Can Trust Since 1886...  
From North America's Largest Roofing Manufacturer™*

# THREE (3) PLY SBS COLD ADHESIVE APPLIED SYSTEM INSULATED DECK



## GENERAL

Safety: Refer to Section 1.06.  
DO NOT BEGIN INSTALLATION  
UNTIL THIS INFORMATION IS READ,  
UNDERSTOOD AND IMPLEMENTED.

## MATERIALS

Material Requirements per 100 sq. ft.:

Insulation	
Adhesive (per ply)	.....1 1/2 gal. per sq. (.6 Ltrs/m <sup>2</sup> )
Base Sheet	.....1 ply
Interply	.....1 ply
Membrane	.....1 ply

## 15 YEAR DIAMOND PLEDGE AND SYSTEM PLEDGE GUARANTEES

SPEC#	BOTTOM SHEET ATTACHMENT	BASE SHEET	INTERPLY	CAP
I-1-2-20/MG (CA)	ADHERE TO PERLITE OR FIB.BD	#75 BASE SHEET	RUBEROID 20	MOP GRANULE
	ADHERE TO PERLITE OR FIB.BD	#80 ULTIMA BASE SHEET	RUBEROID 20	MOP GRANULE
	ADHERE TO PERLITE OR FIB.BD	MODIFIED BASE SHEET	RUBEROID 20	MOP GRANULE
I-1-2-20/MGFR (CA)	ADHERE TO PERLITE OR FIB.BD	#75 BASE SHEET	RUBEROID 20	MOP 170 FR
	ADHERE TO PERLITE OR FIB.BD	#80 ULTIMA BASE SHEET	RUBEROID 20	MOP 170 FR
	ADHERE TO PERLITE OR FIB.BD	MODIFIED BASE SHEET	RUBEROID 20	MOP 170 FR

## 20 YEAR DIAMOND PLEDGE AND SYSTEM PLEDGE GUARANTEES

SPEC#	BOTTOM SHEET ATTACHMENT	BASE SHEET	INTERPLY	CAP
I-2-20/MGP (CA)	ADHERE TO PERLITE OR FIB.BD	#75 BASE SHEET	RUBEROID 20	MOP GRANULE PLUS
	ADHERE TO PERLITE OR FIB.BD	#80 ULTIMA BASE SHEET	RUBEROID 20	MOP GRANULE PLUS
	ADHERE TO PERLITE OR FIB.BD	MODIFIED BASE SHEET	RUBEROID 20	MOP GRANULE PLUS
I-1-2-20/MGPFR (CA)	ADHERE TO PERLITE OR FIB.BD	#75 BASE SHEET	RUBEROID 20	MOP FR
	ADHERE TO PERLITE OR FIB.BD	#80 ULTIMA BASE SHEET	RUBEROID 20	MOP FR
	ADHERE TO PERLITE OR FIB.BD	MODIFIED BASE SHEET	RUBEROID 20	MOP FR

Cold Applied Systems