


Three (3) Ply SBS Hot Mopped System Insulated Deck

Diagram



*Quality You Can Trust Since 1886...
From North America's Largest Roofing Manufacturer™*

THREE (3) PLY SBS HOT MOPPED SYSTEM INSULATED DECK



GENERAL

Safety: Refer to Section 1.06.
DO NOT BEGIN INSTALLATION
UNTIL THIS INFORMATION IS READ,
UNDERSTOOD AND IMPLEMENTED.

MATERIALS

Material Requirements per 100 sq. ft.:

Insulation	
Asphalt (per ply)	.25 lbs. (1.22 kg/m ²)
Base Sheet	.1 ply
Interply	.1 ply
Membrane	.1 ply
Surfacing (if applicable)	

10 YEAR DIAMOND PLEDGE AND SYSTEM PLEDGE GUARANTEES

SPEC#	BOTTOM SHEET ATTACHMENT	BASE SHEET	INTERPLY	CAP
I-1-2-20/30	SVPerf TO ISO	STRATAVENT® PERFORATED	RUBEROID® 20	RUBEROID 30
	MOP TO PERLITE OR FIB.BD	#75 BASE SHEET	RUBEROID 20	RUBEROID 30
	MOP TO PERLITE OR FIB.BD	#80 ULTIMA™ BASE SHEET	RUBEROID 20	RUBEROID 30
	MOP TO PERLITE OR FIB.BD	MODIFIED BASE SHEET	RUBEROID 20	RUBEROID 30
	SCREW & PLATES	#75 BASE SHEET	RUBEROID 20	RUBEROID 30
	SCREW & PLATES	#80 ULTIMA BASE SHEET	RUBEROID 20	RUBEROID 30
I-1-2-20/30FR	SVPerf to ISO	STRATAVENT PERFORATED	RUBEROID 20	RUBEROID 30 FR
	MOP TO PERLITE OR FIB.BD	#75 BASE SHEET	RUBEROID 20	RUBEROID 30 FR
	MOP TO PERLITE OR FIB.BD	#80 ULTIMA BASE SHEET	RUBEROID 20	RUBEROID 30 FR
	MOP TO PERLITE OR FIB.BD	MODIFIED BASE SHEET	RUBEROID 20	RUBEROID 30 FR
	SCREW & PLATES	#75 BASE SHEET	RUBEROID 20	RUBEROID 30 FR
	SCREW & PLATES	#80 ULTIMA BASE SHEET	RUBEROID 20	RUBEROID 30 FR
	SCREW & PLATES	MODIFIED BASE SHEET	RUBEROID 20	RUBEROID 30 FR

CONTINUED ON NEXT PAGE

Hot Mopped
Systems

THREE (3) PLY SBS HOT MOPPED SYSTEM INSULATED DECK (CONTINUED FROM PAGE 107)



15 YEAR DIAMOND PLEDGE AND SYSTEM PLEDGE GUARANTEES

<u>SPEC#</u>	<u>ATTACHMENT</u>	<u>BASE SHEET</u>	<u>INTERPLY</u>	<u>CAP</u>	<u>SURFACING</u>
	BOTTOM SHEET				
I-1-2-20/MG	SVPerf TO ISO	STRATAVENT® PERFORATED	RUBEROID® 20	RUBEROID 30	
	MOP TO PERLITE OR FIB.BD	#75 BASE SHEET	RUBEROID 20	RUBEROID 30	
	MOP TO PERLITE OR FIB.BD	#80 ULTIMA™ BASE SHEET	RUBEROID 20	RUBEROID 30	
	MOP TO PERLITE OR FIB.BD	MODIFIED BASE SHEET	RUBEROID 20	RUBEROID 30	
I-1-2-20/MGFR	SVPerf TO ISO	STRATAVENT PERFORATED	RUBEROID 20	MOP 170 FR	
	MOP TO PERLITE OR FIB.BD	#75 BASE SHEET	RUBEROID 20	MOP 170 FR	
	MOP TO PERLITE OR FIB.BD	#80 ULTIMA BASE SHEET	RUBEROID 20	MOP 170 FR	
	MOP TO PERLITE OR FIB.BD	MODIFIED BASE SHEET	RUBEROID 20	MOP 170 FR	
I-1-2-20/MSG	SVPerf TO ISO	STRATAVENT PERFORATED	RUBEROID 20	MOP SMOOTH	GRAVEL
	MOP TO PERLITE OR FIB.BD	#75 BASE SHEET	RUBEROID 20	MOP SMOOTH	GRAVEL
	MOP TO PERLITE OR FIB.BD	#80 ULTIMA BASE SHEET	RUBEROID 20	MOP SMOOTH	GRAVEL
	MOP TO PERLITE OR FIB.BD	MODIFIED BASE SHEET	RUBEROID 20	MOP SMOOTH	GRAVEL

20 YEAR DIAMOND PLEDGE AND SYSTEM PLEDGE GUARANTEES

<u>SPEC#</u>	<u>ATTACHMENT</u>	<u>BASE SHEET</u>	<u>INTERPLY</u>	<u>CAP</u>
	BOTTOM SHEET			
I-1-2-20/MGP	SVPerf TO ISO	STRATAVENT PERFORATED	RUBEROID 20	MOP GRANULE PLUS
	MOP TO PERLITE OR FIB.BD	#75 BASE SHEET	RUBEROID 20	MOP GRANULE PLUS
	MOP TO PERLITE OR FIB.BD	#80 ULTIMA BASE SHEET	RUBEROID 20	MOP GRANULE PLUS
	MOP TO PERLITE OR FIB.BD	MODIFIED BASE SHEET	RUBEROID 20	MOP GRANULE PLUS
I-1-2-20/MGPFR	SVPerf TO ISO	STRATAVENT PERFORATED	RUBEROID 20	MOP FR
	MOP TO PERLITE OR FIB.BD	#75 BASE SHEET	RUBEROID 20	MOP FR
	MOP TO PERLITE OR FIB.BD	#80 ULTIMA BASE SHEET	RUBEROID 20	MOP FR
	MOP TO PERLITE OR FIB.BD	MODIFIED BASE SHEET	RUBEROID 20	MOP FR

Hot Mopped Systems